



# Rig Tune

## Nick Turney

- 2 Time World Champion
- Multi North American Champion
- Multi National Champion
- Professional Sailor
- Professional Coach







#### Basic Rig Tune- Before Stepping the Mast

- 1. Maintenance-
  - Check all shroud fittings
  - Sheave boxes- clean and lubed
  - Rigging- Standing and Running in good condition
  - Tape all pins and rings
  - Electronics and lights work
- 2. Mast Step- Mast Rake
  - In correct position
  - Bolts tight
  - Base is clean

- 3. Mark Spreaders
  - Tape marks on spreaders for trim reference
- 4. Spreader ends
  - Spreader boots
  - Teflon tape









#### Maintenance

- Check all Turnbuckles
- Make sure all threads are cleaned and lubricated with a wet or silicone lubricant
- Types of good lubricants


#### Maintenance

- Upper (V1) Terminal Failed -
- Brand new rig!



Mark Your Spreaders

Repeatable Trim
Settings






#### Align The Mast with Keel

- Measure aft from headstay/deck intersection

- Measure up from keel


- Measure down from mast to your cross hare





Get your mast straight

# Basic Rig Tune- Get your mast straight



- Your Upper shrouds are now centered
- Use the Intermediates (D2) to get the upper middle part of the mast straight
- Use the Lowers (D1) to get the lower section of the mast straight


# Rig Tension



#### Basic Rig Tune- Rig Tension

 Start with setting your shroud tension at 20% of the breaking strength for diameter of wire you have

 Go sailing in 8-12 knots- Make sure the mast is still straight and there is tension on the leeward shrouds





No Helm- Balanced boat



# Tuning For Performance-What's Involved?

#### Mast Rake

- Headstay Length
- Boat Balance- Helm

#### Pre-bend

• How much do I want?


#### Compare Tack to Tack set ups

• Equal performance tack to tack?

# Basic Rig Tune- What is Mast Rake

Rake Mast Forward= Lee
 Helm


 Rake Mast Aft= Weather Helm



# **Ways To Measure** Rake Measure to Transom-Backstay/Deck Intersection Measure Distance- Hang a bucket from main halyard

#### Basic Rig Tune-Mast Rake


- Headstay Length
- Measure your rake- ARC measurement




#### Basic Rig Tune- Mast Rake to Balance Boat

With proper sail trim (Main and Genoa) the boat should track in Trim a straight line Do Do this test in 8-12 knots Adjust your forestay length accordingly and re-tension your Adjust shrouds






Mast Pre-bend




Basic Rig Tune- Pre-bend/Mast Bend




## Rig Tune- Mast Rake vs. Bend

Find The Balance Point

### Mast Pre-bend






## How do you know how much pre-bend?






## Compare Set Up











Basic Rig Tune- Document Your Settings

_ <b>/</b> tr					J/111				February 22'
Sailing services				Quick Tune	<b>Team Boomerang</b>				
TWS	Uppers	Lowers	D2	Headstay	Jib Hal	Headsail	Inhaul	Jib Lead	Backstay
knots	# of turns	# of turns	# of turns	# of turns	number		number	back of car	number
0 to 10	-10	-6	-3	-5		J1			
10 to 15	67	30	27		9.25	J1.5 or J2			
15 to 20	2	2	0	5		J2 or J3.5			
20+	3	3	0	5		J3.5			
Base Settings					Rig Tensions				
Caliper #'s	Uppers	D2	Lowers		TWS	Uppers	Lowers	D2	
Port	54		38		0 to 10				
Starboard	45		40		10 to 15	67	30	27	
Headstay	52				15 to 20				
Mast Step=	419m				20 +				
Headstay= :	15.3 Pin to Pin	2.23 ARC	10-15 knots						
	_								
Jib Car	From Tack		Inhaul	From center					
J1	4950		Light	600mm					
J2	5050		Med.	550-500mm					
J3	4750		HVY	650-700mm					
Target Crev	v Weight= 1433	lbs							











#### LET'S GO SAILING!!

Questions

Emailnick@turneysailing.com